



| BILL     | AUGUST | 2009     |      |      |              |          |           |         |              |               |               |               |          |    |
|----------|--------|----------|------|------|--------------|----------|-----------|---------|--------------|---------------|---------------|---------------|----------|----|
| ADVISORY | DATE   | TIME UTC | LAT  | LONG | MAX WIND KTS | GUST KTS | SPEED KTS | HEADING | PRESSURE MBS | RADIUS 34 KTS | RADIUS 50 KTS | RADIUS 64 KTS | CATEGORY | FH |
| 1        | 15     | 1500     | 11.5 | 34.0 | 30           | 40       | 15        | W       | 1006         | 0             | 0             | 0             | TD       | 0  |
| 2        | 15     | 2100     | 11.3 | 35.2 | 35           | 45       | 14        | W       | 1004         | 25            | 0             | 0             | TS       | 0  |
| 3        | 16     | 0300     | 11.3 | 36.6 | 35           | 45       | 14        | W       | 1004         | 60            | 0             | 0             | TS       | 0  |
| 4        | 16     | 0900     | 11.4 | 37.2 | 40           | 50       | 11        | W       | 1002         | 60            | 0             | 0             | TS       | 0  |
| 5        | 16     | 1500     | 12.1 | 38.4 | 50           | 60       | 14        | WNW     | 997          | 120           | 60            | 0             | TS       | 0  |
| 6        | 16     | 2100     | 12.8 | 40.0 | 55           | 65       | 14        | WNW     | 994          | 120           | 60            | 0             | TS       | 0  |
| 7        | 17     | 0300     | 13.4 | 41.7 | 60           | 75       | 17        | WNW     | 990          | 120           | 60            | 0             | TS       | 0  |
| 8        | 17     | 0900     | 13.8 | 44.0 | 65           | 80       | 19        | WNW     | 987          | 125           | 60            | 25            | CAT1     | 0  |
| 9        | 17     | 1500     | 14.1 | 45.2 | 80           | 100      | 14        | WNW     | 977          | 125           | 65            | 25            | CAT1     | 0  |
| 10       | 17     | 2100     | 14.6 | 46.7 | 80           | 100      | 14        | WNW     | 969          | 125           | 65            | 25            | CAT1     | 0  |
| 11       | 18     | 0300     | 15.0 | 48.3 | 85           | 105      | 15        | WNW     | 967          | 130           | 65            | 25            | CAT2     | 0  |
| 12       | 18     | 0900     | 15.5 | 49.7 | 85           | 105      | 15        | WNW     | 967          | 130           | 65            | 25            | CAT2     | 0  |
| 13       | 18     | 1500     | 15.9 | 51.2 | 90           | 110      | 14        | WNW     | 963          | 150           | 65            | 35            | CAT2     | 0  |
| 14       | 18     | 2100     | 16.6 | 52.2 | 95           | 110      | 14        | WNW     | 962          | 150           | 75            | 40            | CAT2     | 0  |
| 15       | 19     | 0300     | 17.2 | 53.4 | 110          | 135      | 13        | WNW     | 952          | 150           | 75            | 40            | CAT3     | 0  |
| 16       | 19     | 0900     | 18.0 | 54.9 | 115          | 140      | 14        | WNW     | 948          | 150           | 75            | 40            | CAT4     | 1  |
| 17       | 19     | 1500     | 18.7 | 56.3 | 115          | 140      | 16        | WNW     | 950          | 150           | 100           | 70            | CAT4     | 5  |
| 18       | 19     | 2100     | 19.8 | 57.6 | 115          | 140      | 17        | NW      | 947          | 200           | 105           | 75            | CAT4     | 5  |
| 19       | 20     | 0300     | 20.7 | 58.9 | 115          | 140      | 15        | NW      | 945          | 200           | 105           | 75            | CAT4     | 5  |
| 20       | 20     | 0900     | 21.6 | 60.3 | 110          | 135      | 16        | NW      | 949          | 200           | 105           | 75            | CAT4     | 5  |
| 21       | 20     | 1500     | 22.6 | 61.7 | 105          | 130      | 16        | NW      | 951          | 225           | 120           | 90            | CAT3     | 5  |
| 22       | 20     | 2100     | 23.8 | 63.2 | 110          | 135      | 16        | NW      | 948          | 225           | 130           | 100           | CAT3     | 5  |
| 23       | 21     | 0300     | 24.9 | 64.3 | 110          | 135      | 16        | NW      | 943          | 225           | 130           | 100           | CAT3     | 5  |
| 24       | 21     | 0900     | 26.2 | 65.4 | 105          | 130      | 15        | NW      | 951          | 250           | 130           | 100           | CAT3     | 5  |
| 25       | 21     | 1500     | 27.6 | 66.3 | 100          | 120      | 16        | NW      | 958          | 250           | 130           | 100           | CAT3     | 5  |
| 26       | 21     | 2100     | 29.4 | 66.9 | 90           | 110      | 17        | NNW     | 954          | 240           | 120           | 75            | CAT2     | 5  |
| 27       | 22     | 0300     | 31.0 | 67.5 | 90           | 110      | 17        | NNW     | 957          | 240           | 100           | 75            | CAT2     | 5  |
| 28       | 22     | 0900     | 33.0 | 68.5 | 90           | 110      | 19        | NNW     | 960          | 240           | 100           | 75            | CAT2     | 5  |
| 29       | 22     | 1500     | 35.1 | 68.6 | 85           | 105      | 20        | NNW     | 964          | 240           | 100           | 75            | CAT2     | 5  |
| 30       | 22     | 2100     | 37.1 | 68.8 | 75           | 90       | 21        | N       | 961          | 250           | 100           | 75            | CAT1     | 4  |
| 31       | 23     | 0300     | 39.1 | 67.8 | 75           | 90       | 22        | NNE     | 961          | 240           | 100           | 75            | CAT1     | 4  |
| 32       | 23     | 0900     | 41.2 | 66.5 | 75           | 90       | 23        | NNE     | 961          | 250           | 100           | 75            | CAT1     | 4  |
| 33       | 23     | 1500     | 43.3 | 64.0 | 75           | 90       | 29        | NE      | 967          | 250           | 90            | 75            | CAT1     | 4  |
| 34       | 23     | 2100     | 45.1 | 60.8 | 65           | 80       | 30        | NE      | 970          | 250           | 90            | 50            | CAT1     | 0  |
| 35       | 24     | 0300     | 47.1 | 55.5 | 65           | 80       | 35        | ENE     | 975          | 240           | 120           | 50            | CAT1     | 0  |
| 36       | 24     | 0900     | 48.6 | 50.2 | 60           | 75       | 37        | ENE     | 980          | 275           | 175           | 0             | TS       | 0  |